

Competence for your Compressed air station..

- optimizes automatically
- self-learning
- 8-fold trend calculation
- ISO 50001 ready






airleader
Compressor management

The 8-fold trend calculation...

...choose the right combination...



...and saves on compressed air costs



Cellular gateway




4-20 mA



And that's what comes out of Airleader!

The automatic optimization of the controlled compressors ensures that the compressors always run in the specifically optimal range



Why pay too much? The right Airleader for every need.

Airleader grows with your compressed air station and is upwards and downwards compatible!

Specification:



airleader

	EASY	MASTER II	CN-II
Number of connectable compressor modules	4	16	32
Number of speed-controlled compressors	1	2	2
Number of connectable analog modules for sensors and accessories	2	8	32
Number of maximum possible analog inputs	2 (Option 4)	52	132
Display	3.5" color LCD	7" Touchscreen	17" Touchscreen
Industrial housing for wall mounting L x W x D mm	300 x 300 x 120	500 x 500 x 210	780 x 780 x 300
Storage capacity for detailed condition history and statistical data (In addition to online visualization via PC or Internet using a browser)	> 2 years (1 GB)	> 2 years (1 GB)	> 20 years (20 GB)
Interfaces	2 x RS 485 1*Ethernet	4 x RS 485 1*Ethernet	4 x RS 485 1*Ethernet

Your specialist
company:



WF STEUERUNGSTECHNIK GMBH

Zeppelinstr. 7
75446 Wiernsheim
Tel. +49 (0) 7044 / 911 100
Fax +49 (0) 7044 / 57 17
E-Mail: airleader@t-online.de